

## **FAN HEATERS** When heat becomes coloured



## Original colours and distinctive design. For comfort that furnishes.

### Warmth in Olimpia Splendid style

When we speak of electric heating, various aesthetic and functional factors come into play and influence our choice. Fan heaters are increasingly considered a furniture element to be positioned in the home bathroom or small office, as a way of introducing a splash of colour and design in line with latest fashion trends. In this market scenario, Olimpia Splendid has earned valuable recognition over the years through its distinct style.

#### Power and safety, even in the bathroom

In this product category, looks must never neglect other more functional, equally important elements. First and foremost, power: the Olimpia Splendid range meets all needs (from 1800 to 2400W), satisfying those who enjoy all-embracing heat, offering solutions equipped with ceramic heating elements. No compromising on the safety front either, as demonstrated by the self-extinguishing plastic materials used for the safety thermostat in all models. Moreover, Olimpia Splendid needle resistance fan heaters have an IP21 protection rating, making them safe against falling solid objects greater than 12 millimetres or falling drops of water.





# CALDODESIGN

Retro-style ceramic fan heaters



#### **FEATURES**

Max thermal output: 1800 W Ceramic Resistance Room Thermostat Safety thermostat Fan only function Anti-frost function Power selection Tilt adjustment 2 LED indicator Mechanical control

**COMPACT TECHNOLOGY** 

dimensions.

Small and compact, Caldodesign will blend

smoothly into any context, thanks to its reduced



#### **CERAMIC TECHNOLOGY**

Ceramic heating element modulates the emission of heat depending on the temperature, guaranteeing high levels of security.



#### TILT ADJUSTMENT

Thanks to the sturdy base, the tilt can easily be adjusted for heating in any position

		CALDODESIGN	CALDODESIGN S	CALDODESIGN O
PRODUCT CODE		99447	99404	99402
EAN CODE		8021183994476	8021183994049	8021183994025
Thermal power	W	1800		
Power settings		ONLY FAN / 1000 / 1800		
Dimensions (W x H x D)	mm	245 x 248 x 216		
Gift box dimensions (W x H x D)	mm	275 x 275 x 235		
Master dimensions (W x H x D)	mm	750 x 290 x 570		
Units per master		6		
Weight (without packaging)	kg	1,8		
Weight (with packing)	kg	2,2		
Insulation class			11	
Protection level			IP XO	
Fan speed			1	
Power supply	V-F-Hz		220/240 - 1 - 50	
Power cable (N° pole x section mmq)			2 x 1	
Conformity Mark			CE	
Ceramic resistance			√	
Timer			-	
Room thermostat			$\checkmark$	
Safety thermostat			$\checkmark$	
Ventilation function		$\checkmark$		
Oscillating function			-	
Anti-turn over switch			-	
Anti-ice function			$\checkmark$	
Power selector		$\checkmark$		
Remote control			-	
Tilt adjustment			$\checkmark$	
LED indicators			$\checkmark$	

# CALDO VINTAGE



## Ceramic fan heater with an original design for enveloping warmth



#### FEATURES

Max thermal output: 2000W Ceramic Resistance Power settings: 1000/2000W IP 21 certification gainst water dripping Rotating base Fan only function Safety thermostat Environment thermostat Design retro



**CERAMIC TECHNOLOGY** Uniform and constant heat distribution.



SAFETY SYSTEM

IP21 protection against dripping and anti-tip device.



**3 MODES OF USE** Only fan - 2 power level.



ROTATING BASE

To direct the hot air flow.

		CALDO VINTAGE
PRODUCT CODE		99336
EAN CODE		8021183993363
Thermal power	W	2000
Power settings		ONLY FAN / 1000/2000
Dimensions (W x H x D)	mm	185 x 275 x 180
Gift box dimensions (W x H x D)	mm	223 x 214 x 300
Master dimensions (W x H x D)	mm	456 x 430 x 310
Units per master		4
Weight (without packaging)	kg	1,8
Weight (with packing)	kg	2,1
Insulation class		II
Protection level		IP 21
Fan speed		]
Power supply	V-F-Hz	220/240 - 1 - 50
Power cable (N° pole x section mmq)		H05VV-F 2X0.75 mm2
Conformity Mark		CE
Ceramic resistance		
Timer		•
Room thermostat		
Safety thermostat		$\checkmark$
Ventilation function		
Oscillating function		
Anti-turn over switch		$\checkmark$
Anti-ice function		
Power selector		$\checkmark$
Remote control		
Tilt adjustment		-
LED indicators		

# CALDOSTILE M

Modern, compact and easy-to-use ceramic fan heater



#### FEATURES

Max thermal output: 2000 W 2 power level (1200 - 2000 W) Ceramic Resistance Room Thermostat Safety thermostat Only fan function Anti-frost function Power selection Mechanical control



#### **CERAMIC TECHNOLOGY**

Ceramic heating element modulates the emission of heat depending on the temperature, guaranteeing high levels of security.



#### **ANTI-FROST FUNCTION**

To set automatic ignition, when the temperature drops below  $5^\circ\text{C}$ 

		CALDOSTILE M	
PRODUCT CODE		99448	
EAN CODE		8021183994483	
Thermal power	W	1200 + 800	
Power settings		ONLY FAN / 1200 / 2000	
Dimensions (W x H x D)	mm	210 x 305 x 158	
Gift box dimensions (W x H x D)	mm	240 x 335 x 188	
Master dimensions (W x H x D)	mm	690 x 391 x 495	
Units per master		6	
Weight (without packaging)	kg	1,4	
Weight (with packing)	kg	1,8	
Insulation class		II	
Protection level		IP XO	
Fan speed		1	
Power supply	V-F-Hz	220/240 - 1 - 50	
Power cable (N° pole x section mmq)		2 x 1	
Conformity Mark		CE	
Ceramic resistance		$\checkmark$	
Timer		·	
Room thermostat		$\checkmark$	
Safety thermostat		$\checkmark$	
Ventilation function		$\checkmark$	
Oscillating function		·	
Anti-turn over switch		-	
Anti-ice function		$\checkmark$	
Power selector		$\checkmark$	
Remote control		· ·	
Tilt adjustment		$\checkmark$	
LED indicators		$\checkmark$	



#### MECHANICAL CONTROL

Easy to use thanks to intuitive and simple mechanical controls.

# **CALDOSTILE D**



## Ceramic fan heater that combines efficiency and technology



#### **FEATURES**

Max thermal output: 2000 W Ceramic Resistance Timer Display touch LCD Room Thermostat Safety thermostat Only fan function 90° Oscillation Turnover protection switch Anti-frost function



# THERMOCONVECTORS

**FAN HEATERS** 



## **CERAMIC TECHNOLOGY** Ceramic heating element modulates the emission

SOFT TOUCH DISPLAY

Soft touch keyboard.

of heat depending on the temperature, guaranteeing high levels of security.



#### **REMOTE CONTROL**

OSCILLATION

To manage the main functions in total comfort, even by remote.

90° oscillation for amplified heat distribution.



		CALDOSTILE D
PRODUCT CODE		99449
EAN CODE		8021183994490
Thermal power	W	1200 + 800
Power settings		ONLY FAN / 1200 / 2000
Dimensions (W x H x D)	mm	238 x 337 x 173
Gift box dimensions (W x H x D)	mm	268 x 367 x 203
Master dimensions (W x H x D)	mm	754 x 421 x 551
Units per master		8
Weight (without packaging)	kg	1,8
Weight (with packing)	kg	2,2
Insulation class		II
Protection level		IP XO
Fan speed		]
Power supply	V-F-Hz	220/240 - 1 - 50
Power cable (N° pole x section mmq)		2 x 1
Conformity Mark		CE
Ceramic resistance		
Timer		
Room thermostat		
Safety thermostat		$\checkmark$
Ventilation function		
Oscillating function		$\checkmark$
Anti-turn over switch		
Anti-ice function		$\checkmark$
Power selector		$\checkmark$
Remote control		$\checkmark$
Tilt adjustment		

# CALDOSTILE DT

High-powered, technological and stylish ceramic fan heater



#### FEATURES

Max thermal output: 2200 W Ceramic Resistance Timer Display touch LCD Room Thermostat Safety thermostat Only fan function Oscillation Turnover protection switch Anti-frost function Power setting Remote control



**SOFT TOUCH DISPLAY** Soft touch keyboard.

**SUPER POWER** 

Up to 2200 W.



### REMOTE CONTROL


To manage the main functions in total comfort, even by remote.



#### OSCILLATION

90° oscillation for amplified heat distribution.

		CALDOSTILE DT
PRODUCT CODE		99450
EAN CODE		8021183994506
Thermal power	W	1100 + 2200
Power settings		ONLY FAN / 1100 / 2200
Dimensions (W x H x D)	mm	215 x 548 x 215
Gift box dimensions (W x H x D)	mm	245 x 578 x 245
Master dimensions (W x H x D)	mm	503 x 595 x 503
Units per master		4
Weight (without packaging)	kg	2,6
Weight (with packing)	kg	3,2
Insulation class		II
Protection level		IP XO
Fan speed		1
Power supply	V-F-Hz	220/240 - 1 - 50
Power cable (N° pole x section mmq)		2 x 1
Conformity Mark		CE
Ceramic resistance		√
Timer		$\checkmark$
Room thermostat		$\checkmark$
Safety thermostat		$\checkmark$
Ventilation function		√
Oscillating function		$\checkmark$
Anti-turn over switch		√
Anti-ice function		$\checkmark$
Power selector		$\checkmark$
Remote control		$\checkmark$
Tilt adjustment		
LED indicators		$\checkmark$



# Wall-mounted ceramic fan heaters

# CALDO UP T

## Programmable wall-mounted ceramic fan heater



#### **FEATURES**

Max thermal output: 2000 w Ceramic technology 3 settings: only fan/low/high Remote control LED Display 8h timer Anti-overheating protection Practical wall mount Automatic swing flap Light power indicator Weekly programming timer Window opening detector



#### LED DISPLAY

Advanced technology to facilitate use.

WEEKLY PROGRAMMING TIMER

Weekly timer setting with daily slots.



**REMOTE CONTROL** To rapidly set all functions.



**LARGE FLAP** To direct the hot air flow.

		CALDO UP T
PRODUCT CODE		99364
EAN CODE		8021183993646
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	M3	65
Dimensions (W x H x D)	mm	560 x 185 x 145
Gift box dimensions (W x H x D)	mm	595 x 225 x 170
Master dimensions (W x H x D)	mm	605 x 355 x 470
Units per master		4
Weight (without packaging)	kg	2,8
Weight (with packing)	kg	3,1
Insulation class		II
Protection level		IP XO
Fan speed		1
Power supply	V-F-Hz	220/240 - 1 - 50
Conformity Mark		CE
Ceramic resistance		$\checkmark$
Timer		$\checkmark$
Weekly timer		$\checkmark$
Room thermostat		$\checkmark$
Safety thermostat		$\checkmark$
Ventilation function		$\checkmark$
Anti-ice function		$\checkmark$
Power selector		$\checkmark$
Remote control		$\checkmark$
Digital controls		$\checkmark$
Display LCD		$\checkmark$
Adjustable flap		$\checkmark$
Wall support		$\checkmark$

# CALDO CRYSTAL



## Innovative wall-mounted ceramic fan heater with ionizer



#### FEATURES

Thermal power max 2000 W Ceramic heater Flap swing can be remote controlled 8h timer Weekly timer with 3 daytime periods. Eco/boost/comfort/fan only function Front touch panel Multi-function remote control IP23 protection rating against falling liquids up to 60 degrees from vertical Ionizer Anti-overheating device Temperature indication Anti-frost device



#### **CERAMIC TECHNOLOGY**

Ceramic heating element modulates the emission of heat depending on the temperature, guaranteeing high levels of security.



#### SAFETY SYSTEM

Anti-frost mode/ Anti-overheating detector.



#### IONIZER

Neutralises polluting agents and keeps the air in the room clean and healthy



#### **MULTI-FUNCTION REMOTE CONTROL**

To manage the main functions in total comfort, even by remote.

		CALDO CRYSTAL	
PRODUCT CODE		99409	
EAN CODE		8021183994094	
Thermal power	W	2000	
Heating volume (max)	m³	60	
Power settings		0 / 1200 / 2000	
Dimensions (W x H x D)	mm	560 x 208 x 150	
Gift box dimensions (W x H x D)	mm	630 x 255 x 190	
Master dimensions (W x H x D)	mm	640 x 520 x 583	
Units per master		6	
Weight (without packaging)	kg	3,5	
Weight (with packing)	kg	4,0	
Insulation class		П	
Protection level		IP 23	
Fan speed		1	
Power supply	V-F-Hz	220/240 - 1 - 50/60	
Conformity Mark		CE	
Ceramic resistance		$\checkmark$	
Timer		$\checkmark$	
Weekly timer		$\checkmark$	
Room thermostat		$\checkmark$	
Safety thermostat		$\checkmark$	
Ventilation function		$\checkmark$	
Anti-ice function		-	
Power selector		$\checkmark$	
Remote control		$\checkmark$	
Digital controls		$\checkmark$	
Display LCD		$\checkmark$	
Adjustable flap		$\checkmark$	
Wall support		√	