



FAN HEATERS

When heat becomes coloured



Original colours and distinctive design. For comfort that furnishes.

Warmth in Olimpia Splendid style


When we speak of electric heating, various aesthetic and functional factors come into play and influence our choice. Fan heaters are increasingly considered a furniture element to be positioned in the home bathroom or small office, as a way of introducing a splash of colour and design in line with latest fashion trends. In this market scenario, Olimpia Splendid has earned valuable recognition over the years through its distinct style.



Power and safety, even in the bathroom

In this product category, looks must never neglect other more functional, equally important elements. First and foremost, power: the Olimpia Splendid range meets all needs (from 1800 to 2400W), satisfying those who enjoy all-embracing heat, offering solutions equipped with ceramic heating elements. No compromising on the safety front either, as demonstrated by the self-extinguishing plastic materials used for the safety thermostat in all models. Moreover, Olimpia Splendid needle resistance fan heaters have an IP21 protection rating, making them safe against falling solid objects greater than 12 millimetres or falling drops of water.





Electric fan heaters

NEW

CALDO POP

Needle resistance fan heater with IP21 protection rating and power up to 2000W



FEATURES
 Needle resistance
 Power settings: 1000/2000W
 IP 21 type-approved against vertical dripping
 Fan only function
 Safety thermostat



IP21 PROTECTION
 Safety guaranteed against falling drops of water, frequent in the bathroom



POWER UP TO 2000W
 Adjustable power level (1.000/2.000W)



3 MODES OF USE
 Fan only and two power levels, for customised comfort



INCLUDING FAN ONLY
 Operation that helps the air circulate in the room, in every season

		CALDO POP A	CALDO POP B
PRODUCT CODE		99292	99291
EAN CODE		8021183992922	8021183992915
Thermal power	W	2000	
Power settings		ONLY FAN / 1000 / 2000	
Heating volume (max)	m³	60	
Dimensions (W x H x D)	mm	210 x 251 x 143	
Gift box dimensions (W x H x D)	mm	215 x 257 x 145	
Weight (without packaging)	kg	1,1	
Weight (with packing)	kg	1,3	
Units per master	nr	6	
Master dimensions (W x H x D)	mm	450 x 230 x 529	
Insulation class		II	
Protection level		IP21	
Fan speed	rpm	-	
Power supply	V-F-Hz	220/240 - 1 - 50	
Conformity Mark		CE	
Timer		-	
Room thermostat		-	
Safety thermostat		✓	
Ventilation function		✓	
Oscillating function		-	
Anti-turn over switch		-	
Anti-ice function		-	
Power selector		-	
Power supply cable housing		-	

FAN HEATERS

THERMOCONVECTORS

INFRARED HEATERS

RADIATORS

STOVES

DEHUMIDIFIERS

AIR TREATMENT

CALDO RELAX

Compact fan heater for safe heating.



FEATURES

Needle resistance
 Power settings: 1000/2000W
 IP 21 type-approved against vertical dripping
 Fan only function
 Safety thermostat
 Room thermostat
 Grip on rear
 Turnover protection switch



MAXIMUM POWER

Up to 2000 W for intense heat.



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



3 MODES OF USE

Only fan - 2 power level.



ANTI-TIP DEVICE

Automatically switches off if it falls over

		CALDO RELAX
PRODUCT CODE		99338
EAN CODE		8021183993387
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	m ³	60
Dimensions (W x H x D)	mm	223 x 265 x 135
Gift box dimensions (W x H x D)	mm	230 x 274 x 140
Weight (without packaging)	kg	1,0
Weight (with packing)	kg	1,23
Units per master	nr	6
Master dimensions (W x H x D)	mm	440 x 245 x 570
Insulation class		II
Protection level		IP21
Fan speed	rpm	2200+/-150
Power supply	V-F-Hz	220/240 - 1 - 50
Conformity Mark		CE
Timer		-
Room thermostat		✓
Safety thermostat		✓
Ventilation function		✓
Oscillating function		-
Anti-turn over switch		✓
Anti-ice function		✓
Power selector		✓
Power supply cable housing		-

NEW

CALDO ROCK M



Needle resistance fan heater with power up to 2000W and 3 modes of use



- FEATURES**
- Needle resistance
 - Power settings: 1000/2000W
 - IP 21 type-approved against vertical dripping
 - Fan only function
 - Safety thermostat
 - Turnover protection switch



POWER UP TO 2000W
Adjustable power level (1.000/2.000W)



3 MODES OF USE
Fan only and two power levels, for customised comfort



IP21 PROTECTION
Safety guaranteed against falling drops of water, frequent in the bathroom



ANTI-TIP DEVICE
The fan heater automatically switches off if it falls over

		CALDO ROCK M
PRODUCT CODE		99293
EAN CODE		8021183992939
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	m³	60
Dimensions (W x H x D)	mm	217 x 275 x 155
Gift box dimensions (W x H x D)	mm	225 x 280 x 160
Weight (without packaging)	kg	1.1
Weight (with packing)	kg	1.3
Units per master	nr	6
Master dimensions (W x H x D)	mm	500 x 235 x 580
Insulation class		II
Protection level		IP21
Fan speed	rpm	1
Power supply	V-F-Hz	220/240 - 1 - 50/60
Conformity Mark		CE
Timer		-
Room thermostat		-
Safety thermostat		✓
Ventilation function		✓
Oscillating function		-
Anti-turn over switch		✓
Anti-ice function		-
Power selector		✓
Power supply cable housing		-

FAN HEATERS

THERMOCONVECTORS

INFRARED HEATERS

RADIATORS

STOVES

DEHUMIDIFIERS

AIR TREATMENT

NEW

CALDO ROCK 0

Needle resistance fan heater with power up to 2000W and rotating base



FEATURES

- Needle resistance
- Selectable thermal power: 1000/2000W
- IP21 protection against falling drops of water
- Oscillating function
- Fan only function
- Safety thermostat
- Anti-tip device



POWER UP TO 2000W

Adjustable power level (1.000/2.000W)



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



SAFETY SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort

		CALDO ROCK 0
PRODUCT CODE		99294
EAN CODE		8021183992946
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	m ³	60
Dimensions (W x H x D)	mm	217 x 290 x 155
Gift box dimensions (W x H x D)	mm	225 x 295 x 160
Weight (without packaging)	kg	1,25
Weight (with packing)	kg	1,45
Units per master	nr	6
Master dimensions (W x H x D)	mm	500 x 235 x 610
Insulation class		II
Protection level		IP21
Fan speed	rpm	1
Power supply	V-F-Hz	220/240 - 1 - 50/60
Conformity Mark		CE
Timer		-
Room thermostat		-
Safety thermostat		✓
Ventilation function		✓
Oscillating function		✓
Anti-turn over switch		✓
Anti-ice function		-
Power selector		-
Power supply cable housing		-

NEW

CALDO ROCK DT



Needle resistance fan heater with digital control and rotating base



FEATURES

- Needle resistance
- Selectable thermal power: 1000/2000W
- IP21 protection against falling drops of water
- Oscillating function
- Fan only function
- Safety thermostat
- Room thermostat
- Anti-tip device
- 12H Timer



DIGITAL CONTROL

Digital control panel to regulate power and integrate timer



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



SAFETY SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



POWER UP TO 2000W

Adjustable power level and room thermostat to optimise consumption.

		CALDO ROCK DT
PRODUCT CODE		99295
EAN CODE		8021183992953
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	m³	60
Dimensions (W x H x D)	mm	217 x 290 x 155
Gift box dimensions (W x H x D)	mm	225 x 295 x 160
Weight (without packaging)	kg	1,35
Weight (with packing)	kg	1,55
Units per master	nr	6
Master dimensions (W x H x D)	mm	500 x 235 x 610
Insulation class		II
Protection level		IP21
Fan speed	rpm	1
Power supply	V-F-Hz	220/240 - 1 - 50/60
Conformity Mark		CE
Timer		12H
Room thermostat		✓
Safety thermostat		✓
Ventilation function		✓
Oscillating function		✓
Anti-turn over switch		✓
Anti-ice function		-
Power selector		✓
Power supply cable housing		-

FAN HEATERS

THERMOCONVECTORS

INFRARED HEATERS

RADIATORS

STOVES

DEHUMIDIFIERS

AIR TREATMENT

CALDO CIRCLE 22 A

Italian design by:
ercoli+garlandini

A fan heater for heat that furnishes



FEATURES

- Needle resistance
- Maximum power 2200 W
- Selectable thermal power 1200/2200 W
- IP 21 type-approved against vertical dripping
- Fan only mode
- Design by Ercoli & Garlandini
- Safety thermostat
- Room thermostat
- Anti-freeze function
- Base as cable housing



2200W MAXIMUM POWER

Adjustable power level (1.200/2.200W)



3 MODES OF USE

Fan only and two power levels, for customised comfort



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



DESIGNED IN ITALY

Designed in Italy by Ercoli+Garlandini for retro-style comfort.

		CALDO CIRCLE 22 A
PRODUCT CODE		99416
EAN CODE		8021183994162
Thermal power	W	2200
Power settings		ONLY FAN / 1200 / 2200
Heating volume (max)	m ³	75
Dimensions (W x H x D)	mm	236 x 275 x 195
Gift box dimensions (W x H x D)	mm	245 x 330 x 210
Weight (without packaging)	kg	1,5
Weight (with packing)	kg	1,90
Units per master	nr	6
Master dimensions (W x H x D)	mm	755 x 335 x 435
Insulation class		II
Protection level		IP21
Fan speed	rpm	2200+/-150
Power supply	V-F-Hz	230 - 1 - 50
Conformity Mark		CE
Timer		-
Room thermostat		✓
Safety thermostat		✓
Ventilation function		✓
Oscillating function		-
Anti-turn over switch		-
Anti-ice function		✓
Power selector		✓
Power supply cable housing		base as cable housing

CALDOSILENT

Powerful and silent needle resistance fan heater



FEATURES

- Needles resistance
- Superpower: max thermal output 2400 W
- 2 power settings (1200-2400W)
- Fan only function
- Mechanical control
- IP 21 certification against water dripping
- Rotating base
- Timer 24h
- Safety thermostat
- Room Thermostat
- Anti-frost function
- Anti Typever switch
- Handle
- Max room volume: 80 m³
- Silent System



SUPER SILENT

Lower sound pressure: up to 3dB (A) less than traditional models. 50%* lower perceived noise.



IP21 PROTECTION

IP 21 approved to ensure safety against vertical water dripping. Thanks to the special grille design and the shielding of the internal components the product can be used even in the bathroom.



SUPER WARM

Among the most powerful of its category, up to 2200 W.



TIMER

24h timer programming.

		CALDOSILENT
PRODUCT CODE		99329
EAN CODE		8021183993295
Thermal power	W	1200 + 1200
Power settings		ONLY FAN / 1200 / 2400
Heating volume (max)	m ³	80
Dimensions (W x H x D)	mm	267 x 343 x 251
Gift box dimensions (W x H x D)	mm	285 x 360 x 265
Weight (without packaging)	kg	2,7
Weight (with packing)	kg	3,0
Units per master		3
Master dimensions (W x H x D)	mm	810 x 380 x 300
Insulation class		II
Protection level		IP 21
Fan speed		1
Power supply	V-F-Hz	230 - 1 - 50
Conformity Mark		CE
Timer		✓
Room thermostat		✓
Safety thermostat		✓
Ventilation function		✓
Oscillating function		✓
Anti-turn over switch		✓
Anti-ice function		✓
Power selector		✓
Power supply cable housing		-

* Internal tests on the range Olímpia Splendid

CROMO RADIALE

Benchtop fan heater, compact, from 2000W power



FEATURES

- Needles resistance
- Max thermal output: 2000 W
- 2 power settings (1000-2000W)
- Fan only function
- Mechanical controls
- Radial fan
- Safety thermostat
- Room Thermostat
- Anti-frost function



COMPACT TECHNOLOGY

Small and compact, Cromo Radiale will blend smoothly into any context, thanks to its reduced dimensions.



ROOM THERMOSTAT

To optimise consumption, maintaining the desired temperature



INCLUDING FAN ONLY

Operation that helps the air circulate in the room, in every season

		CROMO RADIALE
PRODUCT CODE		99546
EAN CODE		8021183995466
Thermal power	W	2000
Power settings		ONLY FAN / 1000 / 2000
Heating volume (max)	m ³	60
Dimensions (W x H x D)	mm	290 x 120 x 240
Gift box dimensions (W x H x D)	mm	295 x 125 x 245
Weight (without packaging)	Kg	1,5
Weight (with packing)	kg	1,7
Units per master		6
Master dimensions (W x H x D)	mm	390 x 310 x 500
Insulation class		II
Protection level		-
Fan speed		1
Power supply	V-F-Hz	230 - 1 - 50
Conformity Mark		CE
Timer		-
Room thermostat		√
Safety thermostat		√
Ventilation function		√
Oscillating function		-
Anti-turn over switch		-
Anti-ice function		√
Power selector		√
Power supply cable housing		-